

CONCEALED CEILING SYSTEMS



Concealed Ceiling Systems | Fire Rated



Part No.	PRIMARY CHANNELS	Length (mm)	Sub Pack	Stock Pack
M25-36	25mm Top Cross Rail 0.55mm BMT	3600	10	200
M27-36	25mm Top Cross Rail 0.75mm BMT	3600	10	200
M27-48	25mm Top Cross Rail 0.75mm BMT	4800	10	200
M27-60	25mm Top Cross Rail 0.75mm BMT	6000	10	200
M27R-36	25mm Top Cross Rail 0.75mm BMT Radius	3600	1	1
M27R-48	25mm Top Cross Rail 0.75mm BMT Radius	4800	1	1
M28-48	38mm Top Cross Rail	4800	5	100

Primary Cross Rail to Support Furring Channels.



Part No.	FURRING CHANNELS	Length (mm)	Sub Pack	Stock Pack
M29-27	28mm Furring Channel	2700	8	240
M29-30	28mm Furring Channel	3000	8	240
M29-36	28mm Furring Channel	3600	8	240
M29-48	28mm Furring Channel	4800	8	240
M29-60	28mm Furring Channel	6000	8	240

28mm Deep Furring Channel for Heavier Applications. 38mm Wide Fixing Face.




Part No.	FURRING CHANNELS	Length (mm)	Sub Pack	Stock Pack
M308-27	16mm Furring Channel	2700	8	240
M308-30	16mm Furring Channel	3000	8	240
M308-36	16mm Furring Channel	3600	8	240
M308-48	16mm Furring Channel	4800	8	240
M308-60	16mm Furring Channel	6000	8	240

16mm Deep Furring Channel for Lighter Applications. 38mm Wide Fixing Face.



Part No.	WALL TRACK	Length (mm)	Sub Pack	Stock Pack
M42-30	16mm Furring Channel Wall Track	3000	10	250
M40-30	28mm Furring Channel Wall Track	3000	10	250
M40-36	28mm Furring Channel Wall Track	3600	10	250

To be Fixed to Walls to Support End of Furring Channels or Battens.



Part No.	BATTEN SECTIONS	Length (mm)	Sub Pack	Stock Pack
M301-48	16mm Ceiling Batten	4800	12	420
M301-60	16mm Ceiling Batten	6000	12	420
M301HT-48	16mm High Tensile Ceiling Batten	4800	12	420
M301HT-60	16mm High Tensile Ceiling Batten	6000	12	420

1200mm Span Ceiling Batten for Light Direct Fix Applications.

Concealed Ceiling Systems | Fire Rated

CONCEALED CEILING SYSTEMS



Part No.	BATTEN SECTIONS	Length (mm)	Sub Pack	Stock Pack
M303-48	24mm Cyclonic Ceiling Batten	4800	1	200
M303-61	24mm Cyclonic Ceiling Batten	6100	1	200

For direct fixing to trusses & walls.



Part No.	FURRING CHANNELS	Length (mm)	Sub Pack	Stock Pack
M333-30	13mm Recessed Furring Channel	3000	1	200
M333-60	13mm Recessed Furring Channel	6000	1	200

Low profile 13mm deep furring channel for direct fixing.
See also smooth face M333S for cladding page 32.



Part No.	BACK BLOCKING BATTEN	Length (mm)	Sub Pack	Stock Pack
B005	Back Blocking Batten	300	100	100

A radius back blocking batten with a 2.5mm offset for blocking behind joints of plasterboard.

Concealed Ceiling Systems | Fire Rated

CONCEALED CEILING SYSTEMS



Part No.	DIRECT FIXING CLIPS	Length (mm)	Sub Pack	Stock Pack
M13	M301 Direct Fix Clip - Short	90	100	200
M16	M301 Direct Fix Clip - Long	155	100	400
M80	M301 Wall Clip		100	100

Clips to Support Battens for Direct Fixing.




Part No.	DIRECT FIXING CLIPS	Length (mm)	Sub Pack	Stock Pack
M26	M29/M308 Direct Fix Clip - Short	96	100	200
M94	M29/M308 Direct Fix Clip - Long	190	50	200
M81	M29/M308 Direct Fix Angle Bracket	1000	500	500

Clips to Support Furring Channels for Direct Fixing.



Part No.	DIRECT FIXING CLIPS	Sub Pack	Stock Pack
M237	M29/308 Wall Clip	200	400
M239	M29/M308 Wall Clip Threaded	200	400

Clips to Support Furring Channels for Direct Fixing.



Part No.	DIRECT FIXING CLIPS	Sub Pack	Stock Pack
MBF	M29/M308 Adjustable Direct Fix Clip - Std	200	200
MBFS	M29/M308 Adjustable Direct Fix Clip - Long	200	200

Adjustable Furring Channel Clips with 4 positions at 6mm increments to Adjust Furring Channel, Eliminating Packers.

Concealed Ceiling Systems | Fire Rated



Part No.	PRIMARY COUPLINGS	Sub Pack	Stock Pack
M39	M29/M308 To M27/M28 Locking Key	200	400
M238	Swivel Locking Key	50	100

Couplings Used to Lock Primary Channels to Furring Channels.



Part No.	SECTION JOINERS	Sub Pack	Stock Pack
M38	M29 Furring Channel Joiner	100	200
M272	M27/M25 Top Cross Rail Joiner	10	100
M140	M301 Batten Joiner	100	100

For Joining Channel, Providing Continuous Span.



Part No.	PRIMARY SUSPENSION CLIPS	Sub Pack	Stock Pack
M534	M27/M28 Spring Hanger	250	250
M520	M27 Side Mount Spring Hanger	200	200

Suspension Clips that Lock onto Top Cross Rail.
Providing Adjustment in Height of System Being Suspended.



Part No.	PRIMARY SUSPENSION CLIPS	Length (mm)	Sub Pack	Stock Pack
M24	M27/M28 Direct Fix Right Angle	60	100	100
M66	M27/M28 Direct Fix Clip	95	100	100
MR5	M21 Rod Joiner	82	100	100

Clips to Hang and Support Primary Channels.



Part No.	ROD SUSPENSION	Length (mm)	Sub Pack	Stock Pack
M74	Rod Bracket	62	100	1000
M47	Right Angle Rod Bracket	80	100	1000
MVF	Purlin Clip		100	1000

Rod Suspension clips to suit 5mm Galvanised Rod.



Part No.	ASSEMBLIES	Length (mm)	Sub Pack	Stock Pack
M239BA-08	M29/M308 Direct Fix Clip - 85mm Trubolt	85*	100	100
M239BA-12	M29/M308 Direct Fix Clip -120mm Trubolt	120*	100	100
M239BA-15	M29/M308 Direct Fix Clip -150mm Trubolt	150*	100	100

Assemblies for Direct Fixing Furring Channels without using Primary Channel.

*Length of bolt

Concealed Ceiling Systems | Fire Rated



Part No.	SUSPENSION ROD	Length (mm)	Sub Pack	Stock Pack
M21-36	5mm Galvanized Rod X 3600mm	3600	50	500
M21T-06	5mm Rod With M6 Thread One End X 600mm	600	50	50
M21T-09	5mm Rod With M6 Thread One End X 900mm	900	50	50
M21T-12	5mm Rod With M6 Thread One End X 1200mm	1200	50	50
M21T-18	5mm Rod With M6 Thread One End X 1200mm	1800	50	50
M21T-36	5mm Rod With M6 Thread One End X 3600mm	3600	50	50

Soft Galvanised Rod for Suspending Ceiling Systems.



Part No.	SUSPENSION ROD	Length (mm)	Sub Pack	Stock Pack
M49-30	6mm Threaded Suspension Rod	3000	10	100
TN6	6mm Zinc Nuts		100	100

Threaded Rod for Suspending Ceilings where Hard Bracing is required.



Part No.	CEILING CHANNEL 0.5MM BMT	Length (mm)	Sub Pack	Stock Pack
M355-30	Slimceil Ceiling Channel 35X0.50 BMT	3000	10	100
M355-36	Slimceil Ceiling Channel 35X0.50 BMT	3600	10	100
M355-48	Slimceil Ceiling Channel 35X0.50 BMT	4800	10	100

The solution for compact ceilings – 35mm channel section.



Part No.	CEILING BRACKETS	Length (mm)	Sub Pack	Stock Pack
M324-2	Slimceil Ceiling Bracket 37-60mm Cavity	37-60*	1	100
M324-4	Slimceil Ceiling Bracket 53-76mm Cavity	53-76*	1	100
M324-6	Slimceil Ceiling Bracket 69-92mm Cavity	69-92*	1	100
M324-8	Slimceil Ceiling Bracket 85-108mm Cavity	85-108*	1	100

*Fully adjustable brackets for cavities 37mm up to 108mm.