

# STEEL STUD SYSTEMS

# Steel Stud Systems | 0.50-0.55 BMT FRW\*



Part No.	TOP & BOTTOM TRACK	Length (mm)	Sub Pack	Stock Pack
T5155H-30	Track 51 x 32mm with Safety Hem°	3000	10	100
T5155H-36	Track 51 x 32mm with Safety Hem°	3600	10	100
T6455H-30	Track 64 x 32mm with Safety Hem°	3000	10	100
T6455H-36	Track 64 x 32mm with Safety Hem°	3600	10	100
T7655H-30	Track 76 x 32mm with Safety Hem°	3000	10	100
T7655H-36	Track 76 x 32mm with Safety Hem°	3600	10	100
T9255H-30	Track 92 x 32mm with Safety Hem°	3000	10	100
T9255H-36	Track 92 x 32mm with Safety Hem°	3600	10	100



Part No.	DEFLECTION HEAD 0.55MM BMT	Length (mm)	Sub Pack	Stock Pack
DT645H-30	Deflection Head 64 x 50mm w/ Safety Hem°	3000	10	100
DT765H-30	Deflection Head 76 x 50mm w/ Safety Hem°	3000	10	100
DT925H-30	Deflection Head 92 x 50mm w/ Safety Hem°	3000	10	100



Part No.	WALL STUD 0.50MM BMT	Length (mm)	Sub Pack	Stock Pack
S5150-24	Stud 51mm x 0.50 BMT	2400	10	100
S5150-27	Stud 51mm x 0.50 BMT	2700	10	100
S5150-275	Stud 51mm x 0.50 BMT	2750	10	100
S5150-30	Stud 51mm x 0.50 BMT	3000	10	100
S5150-33	Stud 51mm x 0.50 BMT	3300	10	100
S5150-36	Stud 51mm x 0.50 BMT	3600	10	100
S6450-24	Stud 64mm x 0.50 BMT	2400	10	100
S6450-27	Stud 64mm x 0.50 BMT	2700	10	100
S6450-275	Stud 64mm x 0.50 BMT	2750	10	100
S6450-28	Stud 64mm x 0.50 BMT	2800	10	100
S6450-30	Stud 64mm x 0.50 BMT	3000	10	100
S6450-33	Stud 64mm x 0.50 BMT	3300	10	100
S6450-36	Stud 64mm x 0.50 BMT	3600	10	100
S6450-42	Stud 64mm x 0.50 BMT	4200	10	100



Part No.	WALL STUD 0.55MM BMT	Length (mm)	Sub Pack	Stock Pack
S7655-24	Stud 76mm x 0.55 BMT	2400	10	100
S7655-27	Stud 76mm x 0.55 BMT	2700	10	100
S7655-275	Stud 76mm x 0.55 BMT	2750	10	100
S7655-30	Stud 76mm x 0.55 BMT	3000	10	100
S7655-33	Stud 76mm x 0.55 BMT	3300	10	100
S7655-36	Stud 76mm x 0.55 BMT	3600	10	100
S7655-42	Stud 76mm x 0.55 BMT	4200	10	100
S7655-48	Stud 76mm x 0.55 BMT	4800	10	100
S9255-24	Stud 92mm x 0.55 BMT	2400	10	100
S9255-27	Stud 92mm x 0.55 BMT	2700	10	100
S9255-275	Stud 92mm x 0.55 BMT	2750	10	100
S9255-30	Stud 92mm x 0.55 BMT	3000	10	100
S9255-33	Stud 92mm x 0.55 BMT	3300	10	100
S9255-36	Stud 92mm x 0.55 BMT	3600	10	100
S9255-42	Stud 92mm x 0.55 BMT	4200	10	100
S9255-48	Stud 92mm x 0.55 BMT	4800	10	100
S9255-60	Stud 92mm x 0.55 BMT	6000	10	100

# Lead time and minimum quantities may apply

\* For use in Fire Rated wall systems

° Unhemmed track available upon request

# Steel Stud Systems | 0.70-0.75 BMT FRW\*

STEEL STUD SYSTEMS



Part No.	TOP & BOTTOM TRACK	Length (mm)	Sub Pack	Stock Pack
T5175H-30	Track 51 x 32mm with Safety Hem°	3000	10	100
T6475H-30	Track 64 x 32mm with Safety Hem°	3000	10	100
T7675H-30	Track 76 x 32mm with Safety Hem°	3000	10	100
T9275H-30	Track 92 x 32mm with Safety Hem°	3000	10	100
TI507H-30	Track 150 x 32mm with Safety Hem°	3000	10	100



Part No.	DEFLECTION HEAD	Length (mm)	Sub Pack	Stock Pack
DT5175H-30	Deflection Head 51 x 50mm w/Safety Hem°	3000	10	100
DT6475H-30	Deflection Head 64 x 50mm w/Safety Hem°	3000	10	100
DT7675H-30	Deflection Head 76 x 50mm w/Safety Hem°	3000	10	100
DT9275H-30	Deflection Head 92 x 50mm w/Safety Hem°	3000	10	100
DT1507H-30	Deflection Head 150 x 50mm w/Safety Hem°	3000	10	50



Part No.	WALL STUD 0.75MM BMT	Length (mm)	Sub Pack	Stock Pack
S5175-27	Stud 51mm X 0.75 BMT	2700	10	100
S5175-30	Stud 51mm X 0.75 BMT	3000	10	100
S6475-24	Stud 64mm X 0.75 BMT	2400	10	100
S6475-27	Stud 64mm X 0.75 BMT	2700	10	100
S6475-30	Stud 64mm X 0.75 BMT	3000	10	100
S6475-36	Stud 64mm X 0.75 BMT	3600	10	100
S6475-42	Stud 64mm X 0.75 BMT	4200	10	100
S6475-48	Stud 64mm X 0.75 BMT	4800	10	100
S6475-60	Stud 64mm X 0.75 BMT	6000	10	100
S7675-24	Stud 76mm X 0.75 BMT	2400	10	100
S7675-27	Stud 76mm X 0.75 BMT	2700	10	100
S7675-30	Stud 76mm X 0.75 BMT	3000	10	100
S7675-36	Stud 76mm X 0.75 BMT	3600	10	100
S7675-42	Stud 76mm X 0.75 BMT	4200	10	100
S7675-48	Stud 76mm X 0.75 BMT	4800	10	100
S7675-60	Stud 76mm X 0.75 BMT	6000	10	100
S9275-24	Stud 92mm X 0.75 BMT	2400	10	100
S9275-27	Stud 92mm X 0.75 BMT	2700	10	100
S9275-30	Stud 92mm X 0.75 BMT	3000	10	100
S9275-36	Stud 92mm X 0.75 BMT	3600	10	100
S9275-42	Stud 92mm X 0.75 BMT	4200	10	100
S9275-48	Stud 92mm X 0.75 BMT	4800	10	100
S9275-60	Stud 92mm X 0.75 BMT	6000	10	100
SI507-36	Stud 150mm X 0.75 BMT	3600	1	50
SI507-42	Stud 150mm X 0.75 BMT	4200	1	50
SI507-48	Stud 150mm X 0.75 BMT	4800	1	50
SI507-60	Stud 150mm X 0.75 BMT	6000	1	50
SI507-72	Stud 150mm X 0.75 BMT	7200	1	50

# Steel Stud Systems | 0.70-0.75 BMT FRW\*




Part No.	NOGGINGS 0.75MM BMT	Length (mm)	Sub Pack	Stock Pack
N6475-45	64mm Notched Noggings	450	10	10
N6475-60	64mm Notched Noggings	600	10	10
N7675-45	76mm Notched Noggings	450	10	10
N7675-60	76mm Notched Noggings	600	10	10
N9275-45	92mm Notched Noggings	450	10	10
N9275-60	92mm Notched Noggings	600	10	10
N1507-45	150mm Notched Noggings	450	10	10
N1507-60	150mm Notched Noggings	600	10	10

Individual Noggings cut to length for Fixing between Studs to overcome twisting of Studs.



Part No.	NOGGING TRACK 0.75MM BMT	Length (mm)	Sub Pack	Stock Pack
NT6475-30-36	51mm Nogging Track - 300mm Ctr	3600	10	100
NT6475-45-36	51mm Nogging Track - 450mm Ctr	3600	10	100
NT6475-60-36	51mm Nogging Track - 600mm Ctr	3600	10	100
NT6475-30-36	64mm Nogging Track - 300mm Ctr	3600	10	100
NT6475-45-36	64mm Nogging Track - 450mm Ctr	3600	10	100
NT6475-60-36	64mm Nogging Track - 600mm Ctr	3600	10	100
NT7675-30-36	76mm Nogging Track - 300mm Ctr	3600	10	100
NT7675-45-36	76mm Nogging Track - 450mm Ctr	3600	10	100
NT7675-60-36	76mm Nogging Track - 600mm Ctr	3600	10	100
NT9275-30-36	92mm Nogging Track - 300mm Ctr	3600	10	100
NT9275-45-36	92mm Nogging Track - 450mm Ctr	3600	10	100
NT9275-60-36	92mm Nogging Track - 600mm Ctr	3600	10	100
NT1507-30-36	150mm Nogging Track -300mm Ctr	3600	1	50
NT1507-45-36	150mm Nogging Track -450mm Ctr	3600	1	50
NT1507-60-36	150mm Nogging Track -600mm Ctr	3600	1	50

Full Length Nogging Track Punched at 300, 450 & 600 Centres.  
Slide Studs in and Fix to overcome twisting of Studs.



Part No.	NOGGING BRACKETS	Length (mm)	Sub Pack	Stock Pack
M68	Nogging Bracket 36mm Intermediate	1000	50	50
M69	Nogging Bracket 36mm End	1000	50	50
M78	Nogging Bracket 18mm Intermediate	1000	50	50
M79	Nogging Bracket 18mm End	1000	50	50

# Lead time and minimum quantities may apply

\* For use in Fire Rated wall systems

° Unhemmed track available upon request

# Steel Stud Systems | 1.15 BMT FRW\*

STEEL STUD SYSTEMS



Part No.	TOP & BOTTOM TRACK 1.15MM BMT	Length (mm)	Sub Pack	Stock Pack
T64115-30	TRACK 64mm x 1.15 BMT	3000	1	100
T76115-30	TRACK 76mm x 1.15 BMT	3000	1	100
T92115-30	TRACK 92mm x 1.15 BMT	3000	1	100
T92115-65	TRACK 92mm X 1.15 BMT	6500	1	100
T15012-30	TRACK 150mm x 1.15 BMT	3000	1	100



Part No.	DEFLECTION HEAD 1.15MM BMT	Length (mm)	Sub Pack	Stock Pack
DT64115-30	Deflection Head 64 x 50mm	3000	1	50
DT76115-30	Deflection Head 76 x 50mm	3000	1	50
DT92115-30	Deflection Head 92 x 50mm	3000	1	50
DT92115-65	Deflection Head 92 x 50mm	6500	1	50
DT15012-30	Deflection Head 150 x 50mm	3000	1	50



Part No.	WALL STUD 1.15MM BMT	Length (mm)	Sub Pack	Stock Pack
S64115-27	Stud 64mm X 1.15 BMT	2700	1	100
S64115-30	Stud 64mm X 1.15 BMT	3000	1	100
S64115-36	Stud 64mm X 1.15 BMT	3600	1	100
S64115-42	Stud 64mm X 1.15 BMT	4200	1	100
S64115-48	Stud 64mm X 1.15 BMT	4800	1	100
S64115-60	Stud 64mm X 1.15 BMT	6000	1	100
S76115-27	Stud 76mm X 1.15 BMT	2700	1	100
S76115-30	Stud 76mm X 1.15 BMT	3000	1	100
S76115-36	Stud 76mm X 1.15 BMT	3600	1	100
S76115-42	Stud 76mm X 1.15 BMT	4200	1	100
S76115-48	Stud 76mm X 1.15 BMT	4800	1	100
S76115-60	Stud 76mm X 1.15 BMT	6000	1	100
S92115-27	Stud 92mm X 1.15 BMT	2700	1	100
S92115-30	Stud 92mm X 1.15 BMT	3000	1	100
S92115-36	Stud 92mm X 1.15 BMT	3600	1	100
S92115-42	Stud 92mm X 1.15 BMT	4200	1	100
S92115-48	Stud 92mm X 1.15 BMT	4800	1	100
S92115-60	Stud 92mm X 1.15 BMT	6000	1	100
S92115-72	Stud 92mm X 1.15 BMT	7200	1	100
S15012-36	Stud 150mm X 1.15 BMT	3600	1	50
S15012-42	Stud 150mm X 1.15 BMT	4200	1	50
S15012-48	Stud 150mm X 1.15 BMT	4800	1	50
S15012-60	Stud 150mm X 1.15 BMT	6000	1	50
S15012-72	Stud 150mm X 1.15 BMT	7200	1	50

# Steel Stud Systems



Part No.	80MM DEFLECTION TRACK 1.15MM BMT	Length (mm)	Sub Pack	Stock Pack
DT8050-30	Deflection Track 80 X 50mm x 1.15mm	3000	1	50
DT8050-36	Deflection Track 80 X 50mm x 1.15mm	3600	1	50
DT8050-60	Deflection Track 80 X 50mm x 1.15mm	6000	1	50



Part No.	STUDCO EZYTRACK	Length (mm)	Sub Pack	Stock Pack
FX51-24	Studco Ezytrack 51mm X 0.55 BMT	2400	1	50
FX64-24	Studco Ezytrack 64mm X 0.55 BMT	2400	10	100
FX76-24	Studco Ezytrack 76mm X 0.55 BMT	2400	10	100
FX92-24	Studco Ezytrack 92mm X 0.75 BMT	2400	10	100
FX150-24	Studco Ezytrack 150mm X 0.75 BMT	2400	1	50

EzyTrack is ideal for use in partitioning and steel stud applications - with a sliding strap.



Part No.	WALL CHANNEL 0.5MM BMT	Length (mm)	Sub Pack	Stock Pack
M355-30	Slimceil Ceiling Channel 35X0.50BMT	3000	10	100
M355-36	Slimceil Ceiling Channel 35X0.50BMT	3600	10	100
M355-48	Slimceil Ceiling Channel 35X0.50BMT	4800	10	100

The solution for compact direct fix masonry wall cavities - 35mm channel section



Part No.	SLIMWALL BRACKETS	Length (mm)	Sub Pack	Stock Pack
M163-6	Slimwall Bracket 69-92mm Cavity	68-90*	50	100
M163-8	Slimwall Bracket 85-108mm Cavity	82-108*	50	100

\* This is the distance from the concrete substrate and the back face of the plasterboard lining.

# Lead time and minimum quantities may apply

\* For use in Fire Rated wall systems


° Unhemmed track available upon request

# Steel Stud Systems


STEEL STUD SYSTEMS




Part No.	HEDA JAMB63 - 92MM WIDTH	Length (mm)	Sub Pack	Stock Pack
HJ9263150-285	HEDA Jamb63 92 x 63mm x 16 x 1.50 BMT	2850	1	50
HJ9263150-30	HEDA Jamb63 92 x 63mm x 16 x 1.50 BMT	3000	1	50
HJ9263150-36	HEDA Jamb63 92 x 63mm x 16 x 1.50 BMT	3600	1	50
HJ9263150-48	HEDA Jamb63 92 x 63mm x 16 x 1.50 BMT	4800	1	50



Part No.	HEDA JAMB63 - 150MM WIDTH	Length (mm)	Sub Pack	Stock Pack
HJ15063115-36	HEDA Jamb63 150 x 63mm x 16 x 1.15 BMT #	3600	1	50



Part No.	HEDA JAMB90 - 92MM WIDTH	Length (mm)	Sub Pack	Stock Pack
HJ9289155-2850	HEDA Jamb90 92 x 89mm x 25 x 1.55 BMT	2850	1	100
HJ9289155-36	HEDA Jamb90 92 x 89mm x 25 x 1.55 BMT	3600	10	100
HJ9289155-48	HEDA Jamb90 92 x 89mm x 25 x 1.55 BMT	4800	10	100



Part No.	RAPID TRACK 0.70 / 1.15 BMT	Length (mm)	Sub Pack	Stock Pack
DS6475-30	Slotted Deflection Head Track 64mm x 0.75 BMT	3000	10	50
DS7675-30	Slotted Deflection Head Track 76mm x 0.75 BMT	3000	10	50
DS9275-30	Slotted Deflection Head Track 92mm x 0.75 BMT	3000	10	50
DS76115-30	Slotted Deflection Head Track 76mm x 1.15 BMT	3000	10	50
DS92115-30	Slotted Deflection Head Track 92mm x 1.15 BMT	3000	10	50
DS150115-30	Slotted Deflection Head Track 150mm x 1.15 BMT	3000	10	50

# Lead time and minimum quantities may apply

\* For use in Fire Rated wall systems

° Unhemmed track available upon request

# Steel Stud Systems | Brackets



Part No.	<b>HEDA BRACKETS</b>	Sub Pack	Stock Pack
M104	Slotted Heda Connector	50	50



Part No.	<b>ANGLE BRACKETS</b>	Sub Pack	Stock Pack
M100	Angle Bracket 100 X 45 X40 x 1.5mm - 6mm Hole	100	100



Part No.	<b>SLOTTED DEFLECTION TRACKS</b>	Sub Pack	Stock Pack
M103	Slotted Deflection Cleat	50	50



Part No.	<b>STAGGERED STUD CLIPS</b>	Sub Pack	Stock Pack
M126	Staggered Stud Clip For Track	100	100

To be used in staggered stud systems.



Part No.	<b>UNIVERSAL L BRACKET</b>	Sub Pack	Stock Pack
M545	Universal L Bracket	50	50

For use in fire rated wall systems.



Part No.	<b>STRONGARM BRACKET</b>	Sub Pack	Stock Pack
M110	Strongarm Wall Brace 1200mm	1	1

Heavy duty structural wall brace for free standing walls.